Sup? 60,105/c

CHAPMAN, H. T.
C

AN ATLAS

OF

SURGICAL APPARATUS;

BEING

A SERIES OF DELINEATIONS

OF

THE MOST IMPORTANT MECHANICAL AUXILIARIES OF SURGERY,

WITH DESCRIPTIVE LETTER-PRESS,

EXPLAINING THEIR SEVERAL USES AND MODES OF APPLICATION.

BY

HENRY T. CHAPMAN,

MEMBER OF THE ROYAL COLLEGE OF SURGEONS,

AND LATE HOUSE SURGEON TO ST. BARTHOLOMEW'S HOSPITAL.

EX LIBRIS MEDICÆ SOCIETATIS EDINENSIS

LONDON:

PRINTED FOR S. HIGHLEY, 32, FLEET STREET,

AND WEBB STREET, MAZE POND, BOROUGH.

1832.

WELLCOME LIBRARY INSTITUTE

316507

TO

J. P. VINCENT, Esq.

WILLIAM LAWRENCE, Esq. F.R.S.

AND

HENRY EARLE, Esq. F.R.S.

SURGEONS TO ST. BARTHOLOMEW'S HOSPITAL,

THIS ATLAS

IS RESPECTFULLY INSCRIBED,

BY THEIR OBLIGED PUPIL

THE AUTHOR.

CONTENTS.

I. BANDAGES.

PLATE I.

Fig. 1. The single-headed Roller.
2. The double-headed Roller.
3. The double T. Bandage.
4. The Triangular Inguinal Bandage. (Pl. ix.)
5. The Suspensory Scrotal Bandage. (Pl. iv.)
6 The Sling with four heads. (Pl. vii.)
7. The Sling with six heads.
8. The many-tailed Bandage. (Pl. xi.)
9. The Uniting Bandage for longitudinal wounds. (Pl. vi.)

PLATE II.

Fig. 1. The Nodose Bandage for the Head.
2. The Napkin and Scapulary.
3. The Fillet applied previously to Venesection.
4. The Fillet applied after Venesection.
5. The single Spica Bandage for the Groin.

PLATE III.

Fig. 1. The Reflex Bandage for the Head.
2. The Belt for Fractures of the Ribs.
3. The double Spica Bandage for the Groins.

PLATE IV.

Fig. 1 Pindin's non-elastic Truss for Inguinal Hernia.
2. Eagland's Spring Truss.
3. Salmon and Ody's Spring Truss.
4. Egg's Spring Truss.
5. Eagland's Spring Truss for Inguinal Hernia on both sides.
6. Eagland's Exomphalos Truss.
7 Marrison's Truss for Umbilical Hernia.
8. The Suspensory Scrotal Bandage, or Bag Truss.
9. The ring Pessary of elastic-gum.
10. The oval Pessary of the same material.
11. The ball Pessary.
12. Mr. Duffin's shield Pessary.
13. The stem Pessary employed by Mr. Earle.
14. Eagland's contrivance for Prolapsus Ani.
15. The Spring Truss for Femoral Hernia.

PLATE V.

Fig. 1. The interrupted Suture.
2. The Glover's Suture.
3. The Twisted Suture.
4. The Quilled Suture.
5. The retentive Bandage for the Catheter.
6. The single Spica Bandage for the Axilla.

PLATE VI.

Fig. 1. The uniting Bandage for deep transverse wounds of the Throat.
2. The uniting Bandage for longitudinal wounds.
3. Another form of the same Bandage.
4. The uniting Bandage for transverse wounds of the Limbs.
5. The Spiral Bandage.
6. Shoolbred's elastic lacing Stocking.
7. The multiplied T. Bandage for the Hand.

PLATE VII.

Fig. 1. The Sling with four heads applied to the lower Jaw.
2. Brasdor's Bandage for Fracture of the Clavicle.
3. Moore's Compressor, used occasionally as a Tourniquet.
4. Petit's Tourniquet.
5. The Dressings applied to a Stump after Amputation.

PLATE VIII.

Fig. 1. The Triangular Bandage for the Head.
2. A Bandage for Fracture of the Clavicle.
3. The Bandage applied.
4. Mr. J. Bell's Sling for the Arm.

PLATE IX.

Fig. 1. The Handkerchief Clavicle Bandage.
2. The Triangular Inguinal Bandage applied.

PLATE X.

Fig. 1. Sir A. Cooper's Bandage for Fracture of the Olecranon
2. Mr. Amesbury's Bandage for the same accident.
3. Mr. Amesbury's Bandage for Fracture of the Patella.
4. The Bandage for Rupture of the Tendo Achillis.
5. The French Crutch.

II. APPARATUS FOR FRACTURES OF THE LIMBS.

PLATE XI.

Fig. 1. The form of Pad for lining Splints in Fractures of the Humerus, Fore-arm, and Thigh.
2. The Pad used with the Hand-Splint. (Pl. xii.)
3. The form of Pad applied with Leg-Splints. (Pl. xii.)
4. The Pillow for Assalini's Fracture-Box. (Pl. xiii.)
5. Mr. Benson's Inflated Pad.
6. The wedge-shaped Pad for the Axilla,—part of the Apparatus for Fracture of the Clavicle.
7. The many-tailed Bandage applied to the Leg.
8. M. Dupuytren's method of treating Fracture of the Fibula.

PLATE XII.

Fig. 1. The form of Splint for Fractures of the Humerus, Fore-arm, and Thigh.
2. The Hand-Splint.
3. The Hinge-Splint, for Fractures implicating the Joints.
4. The external Splint for Fractures of the Leg.
5. The Leg-Splints applied.
6. The interrupted Splint for the Leg.

PLATE XIII.

Fig. 1. The common Hospital Fracture Box.
2. Assalini's Fracture Box.
3. Boyer's form of Dessault's Splint for Fracture of the Thigh.
4. The double-inclined Plane for Fracture of the Thigh.

PLATE XIV.

Fig. 1. Mr. Earle's Bed for Fractures, &c.
2. A Box employed by Mr. Earle as a substitute for his Bed, under some circumstances, with a fractured Thigh upon it.
3. A second view of the Box explaining its construction.

III. APPARATUS FOR REDUCING DISLOCATIONS.

PLATE XV.

Fig. 1. The Clove-hitch Knot.
2. A Dislocation of the Shoulder reduced by means of domestic materials alone.
3. The Compound Pullies.
4. The Brace by which the Pullies are attached to a dislocated limb.
5. The Pullies applied to reduce a Dislocation of the Head of the Femur upon the Dorsum Ilii.
6. The reduction of a Dislocation into the Foramen Ovale.
7. The reduction of a Dislocation into the Ischiatic Notch.
8. The reduction of a Dislocation upon the Os Pubis.

IV. INSTRUMENTS.

PLATE XVI.

Fig. 1. The Silver Catheter.
2. The Curve preferred by Mr. Stanley.
3. Amussat's straight Catheter.
4. The elastic-gum Catheter.
5. The Female Catheter.
6. The Scale or Gauge for measuring the size of Catheters and Bougies.
7. The Metallic Bougie.
8. Mr. C. Bell's Urethra Probe.
9. Ducamp's graduated Tube for applying caustic.
10. The Conical Catheter.
11. The Sound employed by Mr. Earle for examining the Bladder in Children.
12. The Staff.
13. Mr. Key's Staff.
14. The Female Staff.
15. Weiss's Dilator for the Male Urethra.
16. Weiss's Dilator for the Female Urethra.

The size of the Instruments in this Plate is reduced in the same proportion as that which the reduced scale of Inches bears to the single inch below it; about one third.

PLATE XVII.

Fig. 1. The Syringe of Read's Stomach Pump.
2. The Intermediate Tube.
3. The Œsophageal Tube.
4. The Gag.
5. The Pump throwing water into the Stomach.
6. The Pump withdrawing the contents of the Stomach.
7. Pipes adapted to the Tubes for the purpose of forming Enema Apparatus.

PLATE XVIII.

Fig. 1. The Scalpel
2. The double-edged Scalpel.
3. The straight Bistoury.
4. The curved Bistoury.
5. The probe-pointed Bistoury.
6. The Tenaculum.
7. Assalini's Tenaculum.
8. Wilkinson's Tenaculum.
9. The common Aneurism Needle
10. The Aneurism Needle with a lateral curve.
11. Dessault's Aneurism Needle.
12. Weiss's Aneurism Needle.
13. The double-hook for assisting the Extirpation of Tumours.
14. The blunt hook for the same purpose.
15. Sir A. Cooper's Hernia Knife.
16. Weiss's guarded Bistoury for Hernia.
17. Millikin's sheathed Bistoury.
18. The Amputating knife.
19. The Catlin.
20. The Metacarpal Saw.
21. The small straight Saw.
22. The Chain Saw of Professor Jeffray.
23. The Trephine.
24. The Elevator.
25. Hey's Saw.
26. A small Tibia Saw, used by Mr. Earle.
27. Savigny's circular Saw for the Tibia.
28. Mr. Liston's Bone Nippers.

The Instruments in this Plate are reduced in size one half.

PLATE XIX.

Fig. 1. Mr. Cline's Gorget as used by Sir A. Cooper.
2. Mr. Stanley's Gorget.
3. The Bistoire Cachée of Frère Côme.
4. M. Dupuytren's double Bistoire Cachée.
5. Mr. Blisard's beaked Knife for Lithotomy.
6. Mr. Brodie's Lithotomy Knife.
7. A double-edged knife sometimes used by Mr. Brodie.
8. The common Forceps for Extracting the Stone.
9. The curved Stone Forceps.
10. Assalini's Stone Forceps.
11. The Scoop for removing Fragments of the Stone from the Bladder.
12. The Trocar and Canula used in the operation of Tapping the Abdomen.
13. Pouteau's curved Trocar for Puncturing the Bladder.
14. The Canula introduced into the Trachea, after Tracheotomy.
15. The Canula and Spring for plugging the Nasal Fossæ, to arrest hæmorrhage; or for facilitating the ligature of Nasal Polypi.
16. The Probang.
17. Thompson's Hook for extracting foreign bodies lodged in the Pharynx.
18. The Porte-aiguille.
19. Curved Needles.
20. The Needle employed in Acupuncture.
21. Seton Needles.
22. The Porte-Moxa.
23. The Blow-Pipe used in the application of a Moxa.

The Instruments in this Plate are reduced one third.

PLATE XX.

Fig. 1. Saunders's Couching Needle.
2. Hey's Needle.
3. Scarpa's Needle.
4. Beer's Needle.
5. Wenzel's Cornea Knife.
6. Ware's Cornea Knife.
7. Beer's Cornea Knife.
8. The Knife for completing an imperfect Corneal section.
9. The Capsule Needle.
10. The Curette of Daviel.

11 The Iris Knife of Sir W. Adams.
12. The Cataract Hook or Tenaculum.
13. The double-hooked Forceps of Reissinger.
14. The Cataract Forceps.
15. Maunoir's bent Scissors.
16. Daviel's double-curved Scissors.
17. Pellier's Speculum Oculi.
18. Sir W. Adams's Elevator.
19. M. Dupuytren's Elevator.
20. The Ciliary Forceps.
21. The Entropium Forceps of Bartische.
22. Ware's Style.
23. The Forceps used by Mr. Wardrop for extracting Nasal Polypi.
24. The Speculum Auris.
25. Weiss's Speculum Ani.
26. Dr. Gooch's Canula for passing a ligature round an Uterine Polypus.
27. A string of Beads and a Reel for effecting the same purpose.

The Instruments used in Ophthalmic Surgery are given, of their full dimensions; the others are reduced one-third.



G. Scharff lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



Printed by C. Hullmandel

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



harf. lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS

G. Svěrák ad. et lith.
Printed by C. Hullmandel

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



G. Scharf. lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS

J. Schnorf del. et lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS

G. Scharf lithog.

Printed by C. Fullmann del.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS





G. Scharf del. et lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



G. Scharf. lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS

C. Scharf del et lithog.

Printed by C. Hullmandel.

EX LIBRIS
MEDICÆ SOCIETATIS
EDINENSIS



G. Scharf, del et lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



G. Scharf, del et lithog.

Printed by C. Hullmandel.

EX LIBRIS
MEDICÆ SOCIETATIS
EDINENSIS







Schaff. del et lith.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS


1
A
2
3
4
5
A
B
6
A
B
7
A
B
C
8
A
B
C

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



G. Scharf del. et lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



G. Scharf, lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



C Schaeff del et lithog.

Printed by C Hullmandel

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS



G Scharf del et lithog.

Printed by C Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS

G. Scharf del et lithog.

Printed by C. Hullmandel.

EX LIBRIS
EDINENSIS
MEDICÆ SOCIETATIS